

RFP No. 18/19-01IT VoIP Telecommunications System
Addendum No. 2
November 20, 2018

Changes and Clarifications

2.1 Section 5.2 P2.7 shall be amended to read as follows:

“System Configuration: The proposed system must be configured to provide the quantities detailed in the Table below. This information is provided for reference only. These quantities are estimates of the required quantities. The District makes no warranties that required quantities shall remain as listed.

School site	Station - Type 1 Analog Port	Station - Type 2 Admin-DO Staff	Station - Type 3 Teacher/ Classroom	Station - Type 4 Side-Car	Station - Type 5 Conf Room Phone	Paging Access	SIP	Analog Trunks/ POTS
Data Center					1		150	4
District Office	9	77	93	1	7	1	150	4
Alderwood ES	2	5	54	0	1	1	0	2
Beacon Park K8	1	5	54	0	1	1	0	1
Bonita Canyon ES	2	5	39	0	1	1	0	2
Brywood ES	1	6	39	0	1	1	0	2
Cadence Park K8	1	5	40	0	1	1	0	2
Canyon View ES	1	5	56	0	1	1	0	2
College Park ES	1	5	47	0	1	1	0	2
Creekside Education Center	8	5	82	0	6	1	0	2
Culverdale ES	1	7	50	0	1	1	0	2
Cypress Village ES	1	7	59	0	1	1	0	2
Deerfield ES	1	8	57	0	1	1	0	2
Early Childhood Learn. Ctr.	2	12	28	0	1	1	0	2
Eastshore ES	2	0	43	0	1	1	0	2
Eastwood ES	1	0	54	0	1	1	0	2
El Camino Real ES	1	5	39	0	1	1	0	2
Greentree ES	1	5	34	0	1	1	0	2
Irvine HS	8	19	173	0	3	1	0	7
Jeffrey Trail MS	5	10	121	0	1	1	0	2
Lakeside MS	1	9	51	0	1	1	0	4
Legacy Creekside	4	3	47	0	2	1	0	2
Loma Ridge ES (Opens 2019)	0	0	0	0	0	0	0	0
Meadow Park ES	1	8	46	0	1	1	0	2

School site	Station - Type 1 Analog Port	Station - Type 2 Admin-DO Staff	Station - Type 3 Teacher/ Classroom	Station - Type 4 Side-Car	Station - Type 5 Conf Room Phone	Paging Access	SIP	Analog Trunks/ POTS
Northwood ES	1	5	42	0	1	1	0	2
Northwood HS	6	18	205	0	3	1	0	5
Oak Creek ES	1	8	64	0	1	1	0	2
Plaza Vista K8	1	5	58	0	1	1	0	2
Portola HS	2	18	144	0	3	1	0	2
Portola Spring ES	1	7	62	0	1	1	0	2
Rancho San Joaquin MS	1	10	63	0	1	1	0	3
Santiago Hills ES	2	5	43	0	1	1	0	2
Sierra Vista MS	1	9	65	0	1	1	0	2
South Lake MS	1	9	47	0	1	1	0	3
Springbrook ES	1	5	42	0	1	1	0	2
Stone Creek ES	1	5	37	0	1	1	0	2
Stonegate ES	1	6	48	0	1	1	0	2
Turtle Rock ES	2	5	47	0	1	1	0	2
University HS	6	17	202	0	3	1	0	4
University Park ES	1	5	44	0	1	1	0	2
Venado MS	1	10	56	0	1	1	0	4
Vista Verde K8	1	5	59	0	1	1	0	2
Westpark ES	1	7	44	0	1	1	0	2
Westwood Training Center	2	5	39	0	1	1	0	2
Woodbridge HS	8	20	176	0	2	1	0	6
Woodbury ES	1	7	55	0	1	1	0	2
Spares								
Total	98	402	2948	1	66	44	300	113

“

Additions

2.2 Request for Proposals No. 18/19-01IT VoIP Telecommunications System is hereby amended to include Section 5.2 P1.48:

“1.48 Specify if managed and NOC monitoring services are included in the system maintenance and support contract. If not included in the contract describe the managed and NOC monitoring services and include pricing in the Annual Recurring Costs pricing table in Appendix C of the RFP.”

2.3 Request for Proposals No. 18/19-01IT VoIP Telecommunications System is hereby amended to include Section 5.2 P2.8.14:

“2.8.14 IUSD currently uses Plantronic headsets. Specify if proposed handsets are compatible with Plantronic headsets.”